

Phoenix 045620.

The United States of America,

To all to whom these presents shall come, Greeting:

WHEREAS, In pursuance of the provisions of the Revised Statutes of the United States, Chapter Six, Title Thirty-two, and legislation supplemental thereto, there have been deposited in the General Land Office of the United States the Plat and Field Notes of Survey and the Certificate of the Register of the Land Office at Phoenix, Arizona, accompanied by other evidence whereby it appears that the Madizelle Mining Company

has entered and paid for the Puritan, Puritan No. 2, Happy Strike, Penos Alto No. 1, Penos Alto No. 2, Highland, Penos Alto No. 3, Iron Mask, Huguenot, Derby No. 3, Derby No. 2, Derby, Patsy, Ellen No. 1, Madizell, Ellen No. 2, Italian, Humbert, Sunny Side No. 1, Sunny Side, Knocker Doom, Surenough, and Protection #3, lode mining claims,

designated by the Surveyor General as Survey No. 2424, embracing a portion of Sections twenty-six, twenty-seven, twenty-eight, thirty-three, thirty-four, and thirty-five in Township fourteen north of Range three west of the Gila and Salt River Meridian, in the Thumb Butte Mining District, Yavapai County, Arizona, and bounded, described, and platted as follows: Beginning for the description of the Puritan lode claim, at corner No. 1, a porphyry stone 24 x 8 x 6 inches, marked P.1-2424 and P. No. 2, 2-2424, with mound of stone, from which the corner to Sections twenty-six, twenty-seven, thirty-four and thirty-five in Township fourteen north of Range three west of the Gila and Salt River Meridian, bears north eighty-eight degrees twenty-nine minutes twenty-seven seconds east five thousand three hundred eighty-six and eight-tenths feet distant;

Thence, first course, north seventy degrees west seven hundred thirty-five feet to corner No. 2, a porphyry stone 18 x 12 x 6 inches marked P. 2 - 2424;

RECORD OF PATENTS: Patent Number

818945

6-2255

Phoenix 045620.

Thence, second course, north fifty-four degrees fifty-five minutes west seven hundred thirty-five feet to corner No. 3, a porphyry stone 24 x 10 x 6 inches, marked P. 3 - 2424 and P.3, 1 - 2424, with mound of stones;

Thence, third course, north thirty-five degrees five minutes east three hundred feet to a point from which discovery bears south fifty-four degrees fifty-five minutes east seven hundred thirty-five feet distant; six hundred feet to corner No. 4, a porphyry stone 20 x 10 x 6 inches, marked P. 4 - 2424 and P. 3, 4 - 2424, with mound of stones;

Thence, fourth course, south fifty-four degrees fifty-five minutes east seven hundred thirty-five feet to corner No. 5, a porphyry stone 20 x 10 x 5 inches, marked P. 5 - 2424;

Thence, fifth course, south seventy degrees east seven hundred thirty-five feet to corner No. 6, a granite stone 24 x 8 x 5 inches, marked P. 6 - 2424 and P. 2, 3 - 2424;

Thence, sixth course, south thirty-five degrees five minutes west six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand four hundred seventy feet in length along said Puritan vein or lode;

Beginning, for the description of the Puritan No. 2 lode claim, at corner No. 1, a granite stone 20 x 8 x 6 inches, marked P. 2, 1-2424 with mound of stone, from which said section corner bears north eighty-four degrees twenty-nine minutes thirty-one seconds east three thousand nine hundred twenty-two and six-tenths feet distant;

Thence, first course, north eighty-one degrees west one thousand five hundred feet to corner No. 2, identical with corner No. 1 of said Puritan lode claim;

Thence, second course, north thirty-five degrees five minutes east three hundred feet to a point from which discovery shaft bears south eighty-one degrees east seven hundred feet distant; six hundred feet to

818945

Phoenix 045620.

corner No. 3, identical with corner No. 6 of said Puritan lode claim;

Thence, third course, south eighty-one degrees east one thousand five hundred feet to corner No. 4, a granite stone 20 x 12 x 8 inches, marked P. 2, 4 - 2424;

Thence, fourth course, south thirty-five degrees five minutes west six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Puritan No. 2 vein or lode;

Beginning, for the description of the Happy Strike lode claim, at corner No. 1, a porphyry stone 24 x 8 x 6 inches, marked H.S. 1 - 2424, with mound of stones, from which said section corner bears south eighty-eight degrees thirty-three minutes forty-one seconds east six thousand one hundred forty-two and two-tenths feet distant;

Thence, first course, south twenty-nine degrees west one thousand five hundred feet to corner No. 2, a porphyry stone 20 x 8 x 8 inches, marked H.S. 2 - 2424 and H. 3 - 2424, with mound of stones;

Thence, second course, north fifty-four degrees fifty-five minutes west six hundred feet to corner No. 3, a porphyry stone 24 x 10 x 5 inches, marked H.S. 3 - 2424, with mound of stones;

Thence, third course, north twenty-nine degrees east one thousand five hundred feet to corner No. 4, a porphyry stone 18 x 10 x 4 inches, marked H.S. 4 - 2424, with mound of stone;

Thence, fourth course, south fifty-four degrees fifty-five minutes east three hundred feet to a point from which discovery shaft bears south twenty-nine degrees west three hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Happy Strike vein or lode;

818945

Phoenix 045620.

Beginning, for the description of the Penos Alto No. 1 lode claim, at corner No. 1, a porphyry stone 24 x 8 x 8 inches, marked P.A. 1, 1 - 2424 and P.A. 2, 2- 2424, with mound of stones, from which said section corner bears north eighty-six degrees thirty-four minutes fifty-one seconds east five thousand nine hundred eighteen and five-tenths feet distant;

Thence, first course, north seventy-seven degrees west four hundred sixty-six feet to corner No. 2, a porphyry stone 20 x 8 x 5 inches marked P.A. 1, 2 - 2424, with mound of stone;

Thence, second course, south twenty-nine degrees west six hundred feet to corner No. 3, a porphyry stone 18 x 10 x 5 inches, marked P.A. 1, 3 - 2424 and H. 2 - 2424, with mound of stone;

Thence, third course, north eighty-two degrees forty-five minutes east five hundred fifty-five and four-tenths feet to corner No. 4, a porphyry stone 24 x 10 x 4 inches, marked P.A. 1, 4 - 2424 and P.A. 2, 3 - 2424, with mound of stone;

Thence, fourth course, north twenty-nine degrees east three hundred feet to a point from which discovery shaft bears south eighty-two degrees forty-five minutes west five hundred fifty-four and four-tenths feet distant; four hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending five hundred fifty-five and four-tenths feet in length along said Penos Alto No. 1 vein or lode;

Beginning, for the description of the Penos Alto No. 2 lode claim, at corner No. 1, a granite stone 16 x 8 x 8 inches, marked P.A. 2, 1-2424 from which said section corner bears north eighty-three degrees fourteen minutes twenty-five seconds east four thousand three hundred seventy-eight and eight-tenths feet distant;

Thence, first course, north eighty-four degrees three minutes

818945

Phoenix 045620.

west four hundred eighty-seven and forty-two-hundredths feet intersect the east end line of the Iona lode claim, unsurveyed, at north twenty-nine degrees east one hundred thirty-seven and nine-tenths feet from the southeast corner; one thousand five hundred sixty-seven and six-tenths feet to corner No. 2, identical with corner No. 1 of said Penos Alto No. 1 lode claim; situate on the south side line of said Iona lode claim, at north seventy-seven degrees west one thousand thirty-four feet from the southeast corner;

Thence, second course, south twenty-nine degrees west four hundred feet to corner No. 3, identical with corner No. 4 of said Penos Alto No. 1 lode claim;

Thence, third course, south seventy-seven degrees east one thousand five hundred feet to corner No. 4, a porphyry stone 20 x 15 x 10 inches, marked P. A. 2, 4 - 2424, with mound of stone;

Thence, fourth course, north twenty-nine degrees east three hundred feet to a point from which discovery shaft bears north seventy-seven degrees west one thousand five hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Penos Alto No. 2 vein or lode;

Beginning, for the description of the Highland lode claim, at corner No. 1, a porphyry stone 20 x 10 x 6 inches, marked H. 1 - 2424, with mound of stones, from which said section corner bears north eighty-three degrees twenty-nine minutes three seconds east five thousand six hundred ninety feet distant;

Thence, first course, south eighty-two degrees forty-five minutes west one thousand eight feet to corner No. 2, identical with corner No. 3 of said Penos Alto No. 1 lode claim;

Thence, second course, south twenty-nine degrees west one hundred

818945

Phoenix 045620.

forty feet to a point from which discovery shaft bears north eighty-two degrees forty-five minutes east two hundred thirty-nine feet distant; four hundred forty feet to corner No. 3, identical with corner No. 2 of said Happy Strike lode claim;

Thence, third course, north eighty-two degrees forty-five minutes east one thousand eight feet to corner No. 4, a porphyry stone 20 x 10 x 4 inches, marked H. 4 - 2424 and P.A.3, 1 - 2424, with mound of stone;

Thence, fourth course, north twenty-nine degrees east four hundred forty feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand eight feet in length along said Highland vein or lode;

Beginning, for the description of the Peno Alto No. 3 lode claim, at corner No. 1, identical with corner No. 4 of said Highland lode claim, from which said section corner bears north eighty degrees two minutes twelve seconds east five thousand nine hundred fifty-six and two-tenths feet distant;

Thence, first course, south eighty-two degrees forty-five minutes west one thousand five hundred feet to corner No. 2, a porphyry stone 20 x 10 x 6 inches, marked P.A. 3, 2 - 2424, with mound of stones;

Thence, second course, south seven degrees fifteen minutes east six hundred feet to corner No. 3, a porphyry stone 20 x 10 x 8 inches marked P.A.3, 3 - 2424, with mound of stone;

Thence, third course, north eighty-two degrees forty-five minutes east one thousand five hundred feet to corner No. 4, a granite stone 24 x 10 x 8 inches, marked P.A.3, 4 - 2424, with mound of stones;

Thence, fourth course, north seven degrees fifteen minutes west three hundred feet to discovery shaft; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Peno Alto No. 3 vein or lode;

818945

Phoenix 045620.

Beginning, for the description of the Iron Mask lode claim, at corner No. 1, a granite stone 18 x 8 x 8 inches, marked I.M. 1 - 2424, with mound of stones, from which said section corner bears south eighty-seven degrees seven minutes thirty-eight seconds east four thousand one hundred fifty-six and two-tenths feet distant;

Thence, first course, north nineteen degrees forty minutes east one thousand five hundred feet to corner No. 2, a porphyry stone 20 x 12 x 5 inches, marked I.M. 2 - 2424, with mound of stones;

Thence, second course, north eighty-one degrees west six hundred feet to corner No. 3, a porphyry stone 20 x 6 x 4 inches, marked I.M. 3 - 2424, with mound of stones;

Thence, third course, south nineteen degrees forty minutes west one thousand five hundred feet to corner No. 4, a cross at corner point and I.M. 4 - 2424 marked on granite rock in place;

Thence, fourth course, south eighty-one degrees east three hundred feet to a point from which discovery shaft bears north nineteen degrees forty minutes east one hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Iron Mask vein or lode;

Beginning, for the description of the Huguenot lode claim, at corner No. 1, a granite stone 24 x 8 x 6 inches, marked H. 1-2424 D. No. 3, 4-2424 and M. 3-2424, from which said section corner bears south eighty-nine degrees two minutes thirty-eight seconds east two thousand six hundred thirty-three and three-tenths feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand five hundred feet to corner No. 2, a granite stone 18 x 8 x 8 inches, marked H. 2 - 2424 and D.3, 3 - 2424, with mound of stones;

818945

Phoenix 045620.

Thence, second course, south nineteen degrees forty minutes west three hundred feet to a point from which discovery shaft bears south sixty-two degrees twenty minutes east seven hundred fifty feet distant; five hundred sixty-five feet intersect line 3 - 4 of said Puritan No. 2 lode claim; six hundred feet to corner No. 3, a porphyry stone 24 x 12 x 6 inches, marked H. 3 - 2424, with mound of stones;

Thence, third course, south sixty-two degrees twenty minutes east one thousand five hundred feet to corner No. 4, a granite stone 24 x 12 x 8 inches, marked H. 4 - 2424, with mound of stones;

Thence, fourth course, north nineteen degrees forty minutes east six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Huguenot vein or lode;

Beginning, for the description of the Derby No. 3 lode claim, at corner No. 1, a granite stone 24 x 10 x 6 inches, marked D. 3, 1 - 2424 and M. 2 - 2424, with mound of stone, from which said section corner bears south seventy-five degrees fifty-six minutes thirty-two seconds east two thousand five hundred six and eight-tenths feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand five hundred feet to corner No. 2, a porphyry stone 20 x 10 x 6 inches, marked D. 3, 2 - 2424, with mound of stones;

Thence, second course, south nineteen degrees forty minutes west three hundred feet to a point from which discovery shaft bears south sixty-two degrees twenty minutes east seven hundred fifty feet distant; six hundred feet to corner No. 3, identical with corner No. 2 of said Huguenot lode claim;

Thence, third course, south sixty-two degrees twenty- minutes east

818945

Phoenix 045620.

one thousand five hundred feet to corner No. 4, identical with corner No. 1 of said Huguenot lode claim;

Thence, fourth course, north nineteen degrees forty minutes east six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Derby No. 3 vein or lode;

Beginning, for the description of the Derby No. 2 lode claim, at corner No. 1, a granite stone 24 x 8 x 6 inches, marked D. 2, 1 - 2424 and D. 2 - 2424, with mound of stones, from which said section corner bears south sixty-two degrees seven minutes east two thousand seven hundred thirty-three and one-tenth feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand four hundred fifty-eight feet to corner No. 2, a porphyry stone 18 x 10 x 5 inches marked D. 2, 2 - 2424, with mound of stones;

Thence, second course, south twenty-eight degrees west six hundred feet to corner No. 3, a granite stone 20 x 8 x 6 inches, marked D. 2, 3 - 2424, with mound of stones;

Thence, third course, south sixty-two degrees twenty minutes east one thousand four hundred fifty-eight feet to corner No. 4, a granite stone 24 x 10 x 6 inches, marked D. 2, 4 - 2424 and D. 3 - 2424, with mound of stone; situate on line 1 - 2 of said Derby No. 3 lode claim;

Thence, fourth course, north twenty-eight degrees east three hundred feet to a point from which discovery shaft bears north sixty-two degrees twenty minutes west four hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand four hundred fifty-eight feet in length along said Derby No. 2 vein or lode;

818945

Phoenix 045620.

Beginning, for the description of the Derby lode claim, at corner No. 1, a granite stone 24 x 12 x 12 inches, marked D. 1 - 2424 and E. 1, 2 - 2424, with mound of stone, from which said section corner bears south sixty-one degrees fifty-two minutes east one thousand two hundred thirty-three and three-tenths feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand five hundred feet to corner No. 2, identical with corner No. 1 of said Derby No. 2 lode claim;

Thence, second course, south twenty-eight degrees west six hundred feet to corner No. 3, identical with corner No. 4 of said Derby No. 2 lode claim;

Thence, third course, south sixty-two degrees twenty minutes east one thousand five hundred feet to corner No. 4, a granite stone 16 x 10 x 8 inches, marked D. 4 - 2424, E. 1, 3 - 2424 and E. 2, 4 - 2424, with mound of stone;

Thence, fourth course, north twenty-eight degrees east three hundred feet to a point from which discovery shaft bears north sixty-two degrees twenty minutes west seven hundred fifty feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Derby vein or lode;

Beginning, for the description of the Patsy lode claim, at corner No. 1, a granite stone 24 x 10 x 6 inches, marked P. 1 - 2424, with mound of stone, from which said section corner bears south sixty-one degrees eight minutes east four hundred eighty-three and two-tenths feet distant;

818945

Phoenix 045620.

Thence, first course, north sixty-two degrees twenty minutes west seven hundred fifty feet to corner No. 1 of said Derby lode claim; one thousand five hundred feet to corner No. 2, a granite rock in place marked P. 2 - 2424, with mound of stones;

Thence, second course, north twenty-eight degrees east six hundred feet to corner No. 3, a granite stone 18 x 8 x 6 inches, marked P. 3 - 2424, with mound of stones;

Thence, third course, south sixty-two degrees twenty minutes east one thousand five hundred feet to corner No. 4, a granite stone 18 x 12 x 4 inches, marked P. 4 - 2424, with mound of stones;

Thence, fourth course, south twenty-eight degrees west three hundred feet to a point from which discovery shaft bears north sixty-two degrees twenty minutes west seven hundred fifty feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Patsy vein or lode;

Beginning, for the description of the Ellen No. 1 lode claim, at corner No. 1, a granite stone 24 x 12 x 5 inches, marked E. 1, 1-2424 with mound of stones, from which said section corner bears north sixty-four degrees thirty-eight minutes west two hundred sixty-seven feet distant;

Thence, first course, north sixty-two degrees twenty minutes west two hundred forty-six and thirty-seven-hundredths feet intersect the north boundary of Section thirty-five and the south boundary of Section twenty-six in Township fourteen north of Range three west of the Gila and Salt River Meridian, at east twenty-three and six-hundredths feet from the northwest and southwest corners, respectively; two hundred seventy-two

818945

Phoenix 045620.

and four-tenths feet intersect the west boundary of said Section twenty-six at north thirty-four minutes west twelve and nine-hundredths feet from the southwest corner; one thousand five hundred feet to corner No. 2, identical with corner No. 1 of said Derby lode claim;

Thence, second course, south twenty-eight degrees west three hundred feet to a point from which discovery shaft bears south sixty-two degrees twenty minutes east five hundred feet distant; six hundred feet to corner No. 3, identical with corner No. 4 of said Derby lode claim;

Thence, third course, south sixty-two degrees twenty minutes east one thousand five hundred feet to corner No. 4, a granite stone 18 x 12 x 4 inches, marked E. 1, 4 - 2424, with mound of stones;

Thence, fourth course, north twenty-eight degrees east eighty-six and twelve-hundredths feet intersect the west boundary of said Section thirty-five, at south five hundred sixty-eight and one-tenth feet from the northwest corner; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Ellen No. 1 vein or lode;

Beginning, for the description of the Madizell lode claim, at corner No. 1, a granite stone 16 x 8 x 6 inches, marked M. 1 - 2424, with mound of stones, from which said section corner bears south eighty-nine degrees one minute east one thousand three hundred fourteen and six-tenths feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand two hundred sixty-two and nine-tenths feet to corner No. 2, identical with corner No. 1 of said Derby No. 3 lode claim;

Thence, second course, south nineteen degrees forty minutes west six hundred feet to corner No. 3, identical with corner No. 1 of said Huguenot lode claim;

Thence, third course, south sixty-two degrees twenty minutes east one thousand two hundred sixty-two and nine-tenths feet to corner No. 4, a granite rock in place, marked a cross for corner point and M. 4 - 2424;

818945

Phoenix 045620.

Thence, fourth course, north nineteen degrees forty minutes east three hundred feet to a point from which discovery shaft bears north sixty-two degrees twenty minutes west five hundred twelve and nine-tenths feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand two hundred sixty-two and nine-tenths feet in length along said Madizell vein or lode;

Beginning, for the description of the Ellen No. 2 lode claim, at corner No. 1, a porphyry stone 20 x 10 x 6 inches, marked E. 2, 1 - 2424 from which said section corner bears north seventy-four degrees fifty-one minutes east eight hundred sixty-seven and eight-tenths feet distant;

Thence, first course, south eight degrees fifteen minutes west one thousand five hundred feet to corner No. 2, a granite stone 20 x 12 x 6 inches, marked E. 2, 2 - 2424, with mound of stone;

Thence, second course, north sixty-two degrees twenty minutes west six hundred feet to corner No. 3, a granite stone 20 x 12 x 8 inches marked E. 2, 3 - 2424, with mound of stones;

Thence, third course, north eight degrees fifteen minutes east one thousand five hundred feet to corner No. 4, identical with corner No. 3 of said Ellen No. 1 lode claim;

Thence, fourth course, south sixty-two degrees twenty minutes east three hundred feet to a point from which discovery shaft bears south eight degrees fifteen minutes west five hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim as above described, extending one thousand five hundred feet in length along said Ellen No. 2 vein or lode;

818945

Phoenix 045620.

Beginning, for the description of the Italian lode claim, at corner No. 1, a porphyry stone 24 x 8 x 6 inches, marked I. 1 - 2424, and H. 4 - 2424, with mound of stones, from which said section corner bears south seventy-nine degrees fifty-three minutes thirty-three seconds east four thousand six hundred thirty-four and two-tenths feet distant;

Thence, first course, north seventy degrees west one thousand two hundred seventy-six feet to corner No. 2, a porphyry stone 24 x 8 x 8 inches, marked I. 2 - 2424, P. 2, 1 - 2424, P. 3, 4 - 2424 and H. 3 - 2424, with mound of stones; identical with corners Nos. 1, 4, and 3 of the Protection #2, Protection #3, and Humbert lode claims, respectively, Survey No. 2424;

Thence, second course, south nineteen degrees forty minutes west three hundred feet to a point from which discovery shaft bears south seventy degrees east three hundred fifteen feet distant; six hundred feet to corner No. 3, a granite stone 22 x 18 x 10 inches, marked I. 3 - 2424, with mound of stones;

Thence, third course, south seventy degrees east two hundred forty-six and eighteen-hundredths feet to corner No. 5 of said Puritan lode claim; one thousand two hundred seventy-six feet to corner No. 4, a granite rock in place, marked a cross for corner point and I 4 - 2424;

Thence, fourth course, north nineteen degrees forty minutes east six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand two hundred seventy-six feet in length along said Italian vein or lode;

Beginning, for the description of the Humbert lode claim, at corner No. 1, a cross at corner point and H. 1 - 2424 marked on granite rock in place, with mound of stone, from which said section corner bears south seventy-two degrees twenty-seven minutes thirty-two seconds east four thousand five hundred seventy-three and one-tenth feet distant;

818945

Phoenix 045620.

Thence, first course, north seventy degrees west one thousand two hundred seventy-six feet to corner No. 2, a porphyry stone 20 x 8 x 8 inches, marked H. 2 - 2424, P. 3, 1 - 2424 and S.S. No. 1, 3 - 2424, with mound of stones; identical with corner No. 1 of said Protection #3 lode claim;

Thence, second course, south nineteen degrees forty minutes west six hundred feet to corner No. 3, identical with corner No. 2 of said Italian lode claim;

Thence, third course, south seventy degrees east one thousand two hundred seventy-six feet to corner No. 4, identical with corner No. 1 of said Italian lode claim;

Thence, fourth course, north nineteen degrees forty minutes east three hundred feet to a point from which discovery shaft bears north seventy degrees west five hundred seventy-six feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand two hundred seventy-six feet in length along said Humbert vein or lode;

Beginning, for the description of the Sunny Side No. 1 lode claim, at corner No. 1, a porphyry stone 18 x 10 x 8 inches, marked S.S. 1, 1 - 2424 K.D. 4-2424 and S.S. 2, 2424, with mound of stones, from which said section corner bears south sixty-four degrees forty-eight minutes thirty-two seconds east four thousand three hundred sixty-five and three-tenths feet distant;

Thence, first course, north seventy degrees west one thousand five hundred feet to corner No. 2, a porphyry stone 18 x 12 x 6 inches marked S.S. 1, 2 - 2424 and K.D. 3 - 2424, with mound of stones;

818945

Phoenix 045620.

Thence, second course, south nineteen degrees forty minutes west three hundred feet to discovery shaft; six hundred feet to corner No. 3, identical with corner No. 2 of said Humbert lode claim;

Thence, third course, south seventy degrees east one thousand five hundred feet to corner No. 4, a granite stone 24 x 12 x 6 inches, marked S.S. 1, 4 - 2424, with mound of stones;

Thence, fourth course, north nineteen degrees forty minutes east six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Sunny Side No. 1 vein or lode;

Beginning, for the description of the Sunny Side lode claim, at corner No. 1, an oak tree ten inches in diameter, blazed and marked S.S. 1 - 2424, with mound of stones, from which said section corner bears south sixty-six degrees six minutes sixteen seconds east two thousand eight hundred sixty-seven and five-tenths feet distant;

Thence, first course, north sixty-two degrees twenty minutes west one thousand five hundred feet to corner No. 2, identical with corner No. 1 of said Sunny Side No. 1 lode claim;

Thence, second course, north nineteen degrees forty minutes east six hundred feet to corner No. 3, a granite stone 20 x 8 x 6 inches marked S.S. 3 - 2424 and K.D. 1 - 2424, with mound of stones;

Thence, third course, south sixty-two degrees twenty minutes east one thousand five hundred feet to corner No. 4, a porphyry stone 24 x 8 x 6 inches, marked S.S. 4 - 2424, with mound of stones;

Thence, fourth course, south nineteen degrees forty minutes west three hundred feet to discovery shaft; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Sunny Side vein or lode;

818945

Phoenix 045620.

Beginning, for the description of the Knocker Doom lode claim, at corner No. 1, identical with corner No. 3 of said Sunny Side lode claim, from which said section corner bears south fifty-seven degrees seven minutes nine seconds east four thousand four hundred sixty-three and one-tenth feet distant;

Thence, first course, north seventy degrees west one thousand five hundred feet to corner No. 2, a porphyry stone 18 x 10 x 5 inches marked K. D. 2 - 2424, with mound of stones;

Thence, second course, south nineteen degrees forty minutes west six hundred feet to corner No. 3, identical with corner No. 2 of said Sunny Side No. 1 lode claim;

Thence, third course, south seventy degrees east one thousand five hundred feet to corner No. 4, identical with corner No. 1 of said Sunny Side No. 1 lode claim;

Thence, fourth course, north nineteen degrees forty minutes east three hundred feet to a point from which discovery shaft bears north seventy degrees west four hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending one thousand five hundred feet in length along said Knocker Doom vein or lode;

Beginning, for the description of the Surenough lode claim, at corner No. 1, a granite stone 20 x 10 x 6 inches, marked S. 1 - 2424 with mound of stones, from which said section corner bears south sixty degrees fifty-seven minutes twenty-four seconds east five thousand three hundred one and six-tenths feet distant;

Thence, first course, south eighty-five degrees west six hundred seventy-five and eighty-seven-hundredths feet intersect line 2 - 3 of

818945

Phoenix 045620.

said Knocker Doom lode claim; seven hundred thirty feet to corner No. 2 a porphyry stone 18 x 8 x 8 inches, marked S. 2 - 2424, with mound of stones

Thence, second course, north seventeen degrees west five hundred fifty feet to corner No. 3, a slate stone 16 x 8 x 4 inches, marked S. 3 - 2424, with mound of stones;

Thence, third course, north eighty-five degrees east seven hundred thirty feet to corner No. 4, a slate stone 24 x 10 x 4 inches, marked S. 4 - 2424;

Thence, fourth course, south seventeen degrees east three hundred feet to a point from which discovery cut bears south eighty-five degrees west twenty feet distant; five hundred fifty feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending seven hundred thirty feet in length along said Sureough vein or lode;

Beginning, for the description of the Protection #3 lode claim, at corner No. 1, identical with corner No. 2 of said Humbert lode claim, from which said section corner bears south seventy-one degrees fifty-five minutes twenty-one seconds east five thousand eight hundred forty-eight and three-tenths feet distant;

Thence, first course, north fifty-four degrees fifty-five minutes west nine hundred fifty and eight-tenths feet to corner No. 2, a slate stone 24 x 10 x 4 inches, marked P. 3, 2 - 2424, with mound of stones

Thence, second course, south nineteen degrees forty minutes west six hundred feet to corner No. 3, a slate stone 24 x 8 x 5 inches, marked P. 2, 2 - 2424 and P. 3, 3 - 2424, with mound of stones; identical with corner No. 2 of said Protection #2 lode claim;

Thence, third course, south fifty-four degrees fifty-five min-

818945

Phoenix 045620.

utes east nine hundred fifty and eight-tenths feet to corner No. 4, identical with corner No. 2 of said Italian lode claim;

Thence, fourth course, north nineteen degrees forty minutes east three hundred feet to a point from which discovery shaft bears north fifty-four degrees fifty-five minutes west one hundred feet distant; six hundred feet to corner No. 1, the place of beginning; the survey of the lode claim, as above described, extending nine hundred fifty and eight-tenths feet in length along said Protection #3 vein or lode;-expressly excepting and excluding from these presents all that portion of the ground hereinbefore described, embraced in said Iona lode claim, unsurveyed, and said Sections twenty-six and thirty-five, and also all veins, lodes, and ledges, throughout their entire depth, the tops or apexes of which lie inside of such excluded ground; the premises herein granted, containing three hundred eighty-eight and four hundred twenty-three-thousandths acres.

818945

Phoenix 045620.

NOW KNOW YE, That there is therefore, pursuant to the laws aforesaid, hereby granted by the United States unto the said **Madizelle Mining Company**

the said mining premises hereinbefore described, and not expressly excepted from these presents, and all that portion of the said vein ~~lode~~ ~~ledge~~ and of all other veins, lodes, and ledges throughout their entire depth, the tops or apexes of which lie inside of the surface boundary lines of said granted premises in said survey extended downward vertically, although such veins, lodes, or ledges in their downward course may so far depart from a perpendicular as to extend outside the vertical side lines of said premises: Provided, That the right of possession to such outside parts of said veins, lodes, or ledges shall be confined to such portions thereof as lie between vertical planes drawn downward through the end lines of said survey so continued in their own direction that such planes will intersect such exterior parts of said veins, lodes, or ledges: And provided further, That nothing herein contained shall authorize the grantee herein to enter upon the surface of a claim owned or possessed by another.

TO HAVE AND TO HOLD said mining premises, together with all the rights, privileges, immunities, and appurtenances of whatsoever nature thereunto belonging, unto the said grantee above named and to **its successors** and assigns forever; subject, nevertheless, to the above-mentioned and to the following conditions and stipulations:

FIRST. That the premises hereby granted shall be held subject to any vested and accrued water rights for mining, agricultural, manufacturing, or other purposes, and rights to ditches and reservoirs used in connection with such water rights, as may be recognized and acknowledged by the local laws, customs, and decisions of the courts. And there is reserved from the lands hereby granted a right of way thereon for ditches or canals constructed by the authority of the United States.

SECOND. That in the absence of necessary legislation by Congress, the Legislature of **Arizona** may provide rules for working the mining claim or premises hereby granted, involving easements, drainage, and other necessary means to its complete development.

IN TESTIMONY WHEREOF, I, **Warren G. Harding**

President of the United States of America, have caused these letters to be made Patent, and the Seal of the General Land Office to be hereunto affixed.

GIVEN under my hand, in the District of Columbia, the **E' EVENTH**

(SEAL)

day of **AUGUST** in the year of our Lord one thousand nine hundred and **TWENTY-ONE** and of the Independence of the United States the one hundred and **FORTY-SIXTH.**

By the President: *Warren G. Harding*
By *M. P. LeRoy* Secretary
J. D. Sammar Recorder of the General Land Office.

RECORD OF PATENTS: Patent Number **818945**